

## **Publikationen - Dr. Petra Zimmermann**

### **2020**

- Kopf-Beck, J., Zimmermann, P., Egli, S., Rein, M., Kappelmann, N., Fietz, J., Tamm, J., Rek, K., Lucae, S., Brem, A.-K., Saemann, P., Schilbach, L., Keck, M. E. (2020). Schema Therapy versus Cognitive Behavioral Therapy versus Individual Supportive Therapy for Depression: Design and Rationale of the OPTIMA-RCT. *BMC Psychiatry*, 20:506 <https://doi.org/10.1186/s12888-020-02880-x>
- von Känel, R., Merz, F., Pfister, H., Brückl, T., Zimmermann, P., Uhr, M., Holsboer, F., Höhne, N. & Ising, M. (2020). Acute stress-induced coagulation activation in patients with remitted major depression versus healthy controls and the role of stress-specific coping. *Annals of Behavioral Medicine*, XX:1–8 DOI: 10.1093/abm/kaaa001.

### **2019**

- Egli, S., Frieß, E., Graf, P., Höhn, D., Kopf-Beck, J., Rein, M. L., Ruderer, A., Szesny-Mahlau, N., Zimmermann, P., Keck, M. E. (2019). *Schematherapie bei Depressionen*. Göttingen: Hogrefe.
- von Känel, R., Merz, F., Pfister, H., Brückl, T., Zimmermann, P., Uhr, M., Holsboer, F., Höhne, N. & Ising, M. (2019). Evidence for an enhanced procoagulant state in remitted major depression. *The World Journal of Biological Psychiatry*, DOI: 10.1080/15622975.2019.1696475

### **2015**

- Ising, M., Zimmermann, P., Brückl, T., Pfister, H., Holsboer, F., Belcredi, P. ·(2015). Depression and burnout – Impact on sick leave and job satisfaction. Results from an epidemiological survey. *Pharmacopsychiatry*, 48(06).
- Beesdo-Baum, K., Knappe, S., Asselmann, E., Zimmermann, P., Brückl, T., Höfler, M., Behrendt, S., Lieb, R., Wittchen, H.-U. (2015). The 'Early Developmental Stages of Psychopathology (EDSP) study': A 20 year review of methods and findings. *Social Psychiatry and Psychiatric Epidemiology*, 50(6), 851-866.

### **2014**

- Höhne, N., Poidinger, M., Merz, F., Pfister, H., Brückl, T., Zimmermann, P., Uhr, M., Holsboer, F., Ising, M. (2014). FKBP5 genotype-dependent DNA methylation and mRNA regulation after psychosocial stress in remitted depression and healthy controls. *The International Journal of Neuropsychopharmacology*, Dec 13, 18(4).
- Höhne N., Merz F., Poidinger, M. Pfister H., Brückl T., Zimmermann P., Uhr M., Holsboer F., Ising M. (2014). Increased HPA axis response to psychosocial stress in remitted depression: the influence of coping style. *Biological Psychology*, 103, 267-275.
- Ising, M., Mather, K., Zimmermann, P., Brückl, T., Höhne, N., Heck, A., Schenk, L., Rujescu, D., Armstrong, N., Sachdev, P. & Reppermund, S. (2014). Genetic effects on information processing speed are moderated by age – converging results from 3 samples. *Genes, Brain and Behavior*, 13(5), 501-507.

### **2013**

- Goldberg, D.P., Wittchen, H.-U., Beesdo-Baum, K., Zimmermann, P., Pfister, H. (2013). Anxious and non-anxious forms of major depression: Familial, personality and symptom characteristics. *Psychological Medicine*, 44(06), 1-12.

### **2011**

- Zimmermann, P., Brückl, T., Nocon, A., Pfister, H., Binder, E., Uhr, M., Lieb, R., Moffitt, T., Caspi, A., Holsboer, F. & Ising, M. (2011). Interaction of Variants in the FKBP5 Gene and Adverse Life Events in Predicting the First Depression Onset: Results from a Ten-Year Prospective Community Study. *The American Journal of Psychiatry*, 168, 1107-1116.

- Nocon, A., Brückl, T., Zimmermann, P., Pfister, H., Irving, H., Rehm, J., Lieb, R., Wittchen, H.-U. (2011). The latent structure underlying the comorbidity of panic, agoraphobia and specific phobias. *European Neuropsychopharmacology*, 21.
- Behrendt, S., Beesdo-Baum, K., Zimmermann, P., Höfler, M., Perkonigg, A., Bühringer, G., et al. (2011). The role of mental disorders in the risk and speed of transition to alcohol use disorders among community youth. *Psychological Medicine*, 41(5), 1073–1085.
- Erhardt A, Czibere L, Roeske D, Lucae S, Unschuld PG, Ripke S, Specht M, Kohli MA, Kloiber S, Ising M, Heck A, Pfister H, Zimmermann P., Lieb R, Putz B, Uhr M, Weber P, Deussing JM, Gonik M, Bunck M, Kessler MS, Frank E, Hohoff C, Domschke K, Krakowitzky P, Maier W, Bandelow B, Jacob C, Deckert J, Schreiber S, Strohmaier J, Nothen M, Cichon S, Rietschel M, Bettecken T, Keck ME, Landgraf R, Müller-Myhsok B, Holsboer F, Binder EB (2011). TMEM132D, a new candidate for anxiety phenotypes: evidence from human and mouse studies. *Molecular Psychiatry*, 16, 647-663.
- Hoch, E., Zimmermann, P., Henker, J., Rohrbacher, H., Noack, R., Bühringer, G. & Wittchen, H.-U. (2011). *Modulare Therapie von Cannabisstörungen: Das CANDIS-Programm*. Göttingen: Hogrefe.

## 2009

- Hoch E, Zimmermann P., Noack R, Rohrbacher H, Pixa A, Henker J, Dittmer K, Bühringer G, Wittchen HU: Manualisierte einzeltherapeutische Behandlung problematischen Cannabiskonsums: Die "CANDIS"-Studie. In *Cannabismissbrauch und -abhängigkeit*. Edited by Thomasius R, Petersen KU. Lengerich: Pabst; 2009.
- Zimmermann, P., Brückl, T., Nocon, A., Pfister, H., Lieb, R., Wittchen, H.-U., Holsboer, F. & Angst, J. (2009). Heterogeneity of DSM-IV Major Depressive Disorder as a Consequence of Subthreshold Bipolarity. *Archives of General Psychiatry*, 66 (12), 1341-1352.

## 2008

- Angst, J. & Zimmermann, P. (2008). The manic wing of the bipolar spectrum. *European Psychiatric Review*, 1 (1), 19-21.
- Alkelai, A., Crowley, J., DasBanerjee, T., Docherty, S., Hare, E., Galsworthy, M.J., Grover, D., Grubb, D., Karlsson, R., Mill, J., Sen, S., Quinones, M.P., Vallender, E., Verma, R., Vijayan, N.N., Villafuerte, S., Voineskos, A.N., Volk, H., Yu, L. & Zimmermann, P. (Coordinated by: Lynn E. DeLisi) (2008) The XVth World Congress of Psychiatric Genetics, October 7-11, 2007: Rapporteur summaries of oral presentations. *American Journal of Medical Genetics Part B, Neuropsychiatric Genetics*, 147B (2), 233-77.
- Nocon, A., Wittchen, H.-U., Beesdo, K., Brückl, T., Höfler, M., Pfister, H., Pfister, H., Zimmermann, P. & Lieb, R. (2008). Differential familial liability of panic disorder and agoraphobia. *Depression and Anxiety*. 25 (5),422-434.
- Zimmermann, P., Brückl, T., Lieb, R., Ising, M., Beesdo, K. & Wittchen, H.-U. (2008). The interplay of familial depression liability and adverse life events in predicting the first onset of depression during a ten-year follow-up. *Biological Psychiatry*, 63 (4), 406-414.

## 2007

- Himmerich, H., Zimmermann, P., Ising, M., Kloiber, S., Lucae, S., Künzel, H.E., Binder, E., Holsboer, F. & Uhr, M. (2007). Changes in the hypothalamic-pituitary-adrenal axis and leptin levels during antidepressant treatment. *Neuropsychobiology*, 55, 28-35.
- Wittchen, H.-U., Fröhlich, C., Behrendt, S., Günther, A., Rehm, J., Zimmermann, P., Lieb, R., Perkonigg, A. (2007). Cannabis use and cannabis use disorders and their relationship to mental disorders: A 10-years prospective-longitudinal community study in adolescents. *Drug and Alcohol Dependence*, 88, 60-70.
- Zimmermann, P. & Müller, N. (2007). Prädisponierende intrapsychische Faktoren: Ängste. In M. Klein (Hrsg.), *Handbuch Kinder und Suchtgefahren*. Stuttgart: Schattauer-Verlag.

## 2006

- Nocon, A., Wittchen, H.-U., Pfister, H., Zimmermann, P. & Lieb, R. (2006). Dependence symptoms in young cannabis users with and without concomitant use of other illicit drugs. *Journal of Psychiatric Research*, 40, 394-403.
- Perkonigg, A., Pfister, H., Höfler, M., Fröhlich, C., Zimmermann, P., Lieb, R. & Wittchen, H.-U. (2006). Substance use and substance use disorders in a community sample of adolescents and young adults: Incidence, age effects and pattern of use. *European Addiction Research*, 12 (4), 187-196.
- Perkonigg, A., Settele, A., Pfister, H., Höfler, M., Fröhlich, C., Zimmermann, P., Lieb, R. & Wittchen, H.-U. (2006). Where have they been? Service use of regular substance users with and without abuse and dependence. *Social Psychiatry and Psychiatric Epidemiology*.41 (6), 470-479.

## 2005

- Zimmermann, P., Wittchen, H.-U., Waszak, F., Nocon, A., Höfler, M. & Lieb, R. (2005). Pathways into ecstasy use: The role of prior cannabis and ecstasy availability. *Drug and Alcohol Dependence*, 79, 331-341.

## 2004

- Perkonigg, A., Wittchen, H.-U., Zimmermann, P., Nocon, A., Settele, A., Spiegel, B., Bühringer, G. & Lieb, R. (2004). Grundlagen und Forschungsstrategien regionaler Bedarfs- und Allokationsforschung am Beispiel des ASAT-F1-Projektes. *Suchtmedizin in Forschung und Praxis*, 6 (1), 14-21.
- Zimmermann, P., Mühlig, S., Sonntag, D., Bühringer, G. & Wittchen, H.-U. (2004). Review on psychotherapeutic interventions for cannabis disorders. *Sucht*, 50 (5), 334-342.

## 2003

- Wittchen, H.-U., Lieb, R. & Zimmermann, P. (2003). *Substanzspezifische Modelle des Drogenmissbrauchs und der –abhängigkeit: Frühstadienmodelle anhand von EDSP- und ANEPSA-Verbunddaten“ (ANEPSA-Schlussbericht)*. München: Max-Planck-Institut für Psychiatrie, Klinische Psychologie und Epidemiologie.
- Wittchen, H.-U., Lieb, R. & Zimmermann, P. (2003). *Anleitung zum Public Use File EDSP. Substanzspezifische Modelle des Drogenmissbrauchs und der –abhängigkeit: Frühstadienmodelle anhand von EDSP- und ANEPSA-Verbunddaten“ (Ergänzung zum ANEPSA-Schlussbericht)*. München: Max-Planck-Institut für Psychiatrie, Klinische Psychologie und Epidemiologie.
- Wittchen, H.-U., von Sydow, K., Lieb, R., Zimmermann, P. & den Mitarbeitern der ANEPSA Gruppe (2003). *Sonderbericht über den Projektverbund “Analytical Epidemiology of Substance Abuse“ (ANEPSA)*. München: Max-Planck-Institut für Psychiatrie.
- Zimmermann, P., Wittchen, H.-U., Höfler, M. & Lieb, R. (2003). Primary anxiety disorders and the development of subsequent alcohol use disorders: A four-year community study of adolescents and young adults. *Psychological Medicine*, 33, 1211-1222.
- Zimmermann, P. (2003). Die Bedeutung von Angststörungen für die Entwicklung von erhöhtem Alkoholkonsum und Alkoholstörungen bei Jugendlichen und jungen Erwachsenen. Dissertationsschrift, Technische Universität Dresden: <http://nbn-resolving.de/urn:nbn:de:swb:14-1058363386328-17550>

## 2002

- Lieb, R., Zimmermann, P., Friis, R. H., Höfler, M., & Wittchen, H.-U. (2002). The natural course of DSM-IV somatoform disorders and syndromes among adolescents and young adults: A prospective-longitudinal community study. *European Psychiatry*, 17 (6), 321-331.